

## Konsultacje HCVF na rok 2017

Adres leśny	Zabieg	Pow. (ha)	HCVF111	HCVF112	HCVF21	HCVF31	HCVF32
01-16-1-01-1 -a -00	IB	8,47			x		
01-16-1-01-1 -d -00	IB	0,85			x		
01-16-1-01-1 -f -00	IIIBU	3,61			x		
01-16-1-01-1 -g -00	IB	0,69			x		
01-16-1-01-105 -a -00	TWP	3,03			x		
01-16-1-01-105 -b -00	CP-P	3,58			x		
01-16-1-01-106 -a -00	TPP	13,04			x		
01-16-1-01-113 -d -00	TPP	3,20			x		
01-16-1-01-113 -j -00	TWP	0,72			x		
01-16-1-01-113 -k -00	TPP	1,18			x		
01-16-1-01-113 -m -00	TWP	0,82			x		
01-16-1-01-114 -d -00	TPP	7,79			x		
01-16-1-01-116 -a -00	TPP	8,19			x		
01-16-1-01-119 -a -00	TPP	8,00			x		
01-16-1-01-124A -b -00	CP-P	0,39	x		x		
01-16-1-01-124A -c -00	CP-P	2,57	x		x		
01-16-1-01-124A -d -00	CP-P	0,26	x		x		
01-16-1-01-124A -f -00	CP-P	0,72	x		x		
01-16-1-01-124A -g -00	TWP	0,27	x		x		
01-16-1-01-124A -i -00	TWP	0,31	x		x		
01-16-1-01-124B -a -00	CP-P	0,20			x		
01-16-1-01-124B -f -00	TWP	0,23	x		x		
01-16-1-01-125 -a -00	TWP	1,01	x		x		
01-16-1-01-125 -i -00	TWP	0,90			x		
01-16-1-01-125 -j -00	TWP	1,67			x		
01-16-1-01-126 -d -00	IB	3,50			x		
01-16-1-01-126 -f -00	IB	7,67			x		
01-16-1-01-127 -c -00	IB	11,31			x		
01-16-1-01-131 -a -00	TPP	6,77			x		
01-16-1-01-131 -b -00	TWP	4,10			x		
01-16-1-01-131 -f -00	TPP	2,36			x		
01-16-1-01-137 -i -00	TWP	2,24			x		
01-16-1-01-137 -j -00	TWP	1,54			x		
01-16-1-01-140 -a -00	TPP	3,27			x		
01-16-1-01-140 -b -00	TPP	7,25			x		
01-16-1-01-140 -c -00	TPP	4,45			x		
01-16-1-01-140 -d -00	TPP	6,93			x		
01-16-1-01-142 -f -00	IIIA	2,92			x		
01-16-1-01-15 -c -00	IB	3,26			x		
01-16-1-01-415 -a -00	TPP	20,28		x	x		
01-16-1-01-63 -c -00	TWP	4,46			x		
01-16-1-01-66 -d -00	TPP	7,33			x		
01-16-1-01-67 -a -00	TPP	3,90			x		
01-16-1-01-67 -b -00	TPP	7,18			x		
01-16-1-01-67 -c -00	TWP	3,78			x		
01-16-1-01-67 -d -00	TWP	3,58			x		
01-16-1-01-68 -c -00	TPP	9,36			x		
01-16-1-01-68 -f -00	TWP	1,55			x		
01-16-1-01-69 -a -00	TPP	4,27			x		
01-16-1-01-69 -c -00	TWP	4,09			x		
01-16-1-01-77 -c -00	TPP	5,96			x		
01-16-1-01-78 -b -00	TWP	4,45			x		
01-16-1-01-78 -c -00	TWP	2,46			x		
01-16-1-01-78 -d -00	TWP	2,68			x		
01-16-1-01-83 -d -00	TPP	5,06			x		

## Konsultacje HCVF na rok 2017

01-16-1-01-88	-w -00	TPP	0,57	x		x		
01-16-1-01-88	-y -00	TWP	0,78	x		x		
01-16-1-01-88	-z -00	TPP	1,28	x		x		
01-16-1-01-92	-b -00	TWP	4,75			x		
01-16-1-01-92	-c -00	TWP	4,09			x		
01-16-1-01-94	-d -00	TPP	6,18			x		
01-16-1-01-95	-c -00	TPP	9,11			x		
01-16-1-02-101	-c -00	IB	5,10			x		
01-16-1-02-109	-c -00	TPP	2,75			x		
01-16-1-02-109	-d -00	TPP	1,48			x		
01-16-1-02-109	-g -00	TPP	1,82			x		
01-16-1-02-109	-h -00	TPP	0,91			x		
01-16-1-02-110	-d -00	TPP	1,13			x		
01-16-1-02-110	-f -00	TPP	0,79			x		
01-16-1-02-121	-c -00	TWP	6,91			x		
01-16-1-02-121	-d -00	TWP	0,89			x		
01-16-1-02-121	-f -00	TPP	4,90			x		
01-16-1-02-121	-g -00	TPP	0,63			x		
01-16-1-02-121	-h -00	TWP	0,61			x		
01-16-1-02-132	-h -00	CP-P	1,18			x		
01-16-1-02-143	-a -00	IIIAU	2,16			x		
01-16-1-02-143	-c -00	CP-P	0,33			x		
01-16-1-02-144	-c -00	TPP	4,48			x		
01-16-1-02-144	-d -00	TPP	1,01			x		
01-16-1-02-145	-a -00	TPP	6,81			x		
01-16-1-02-145	-b -00	TWP	1,45			x		
01-16-1-02-145	-c -00	TPP	10,85			x		
01-16-1-02-147	-a -00	TPP	6,31			x		
01-16-1-02-21	-f -00	IB	2,26			x		
01-16-1-02-21	-g -00	TPP	2,20			x		
01-16-1-02-21	-o -00	TPP	5,87			x		
01-16-1-02-32	-d -00	IB	6,46			x		
01-16-1-02-35	-a -00	TPP	6,70			x		
01-16-1-02-35	-b -00	TWP	4,44			x		
01-16-1-02-35	-c -00	TPP	3,42			x		
01-16-1-02-432	-f -00	IB	7,92			x		
01-16-1-02-436	-c -00	IB	2,93			x		
01-16-1-02-59	-a -00	TPP	3,80			x		
01-16-1-02-59	-b -00	TWP	5,16			x		
01-16-1-02-59	-c -00	TPP	7,26			x		
01-16-1-02-59	-d -00	TWP	3,45			x		
01-16-1-02-6	-f -00	CP-P	0,67			x		
01-16-1-02-6	-i -00	TWP	4,62			x		
01-16-1-02-6	-n -00	TWP	0,65			x		
01-16-1-02-7	-a -00	CP-P	0,33			x		
01-16-1-02-71	-g -00	IB	0,88			x		
01-16-1-02-71	-h -00	TWP	1,02			x		
01-16-1-02-74	-d -00	IB	5,12			x		
01-16-1-02-98	-d -00	TWP	1,84			x		
01-16-1-02-98	-f -00	TWP	1,62			x		
01-16-1-02-99	-a -00	CP-P	1,22			x		
01-16-1-02-99	-d -00	TPP	1,32			x		
01-16-1-02-99	-f -00	TWP	0,65			x		
01-16-1-03-149	-b -00	IB	10,56			x		
01-16-1-03-150	-f -00	TPP	4,13			x		
01-16-1-03-150A	-a -00	IB	2,63			x		

## Konsultacje HCVF na rok 2017

01-16-1-03-150A -b -00	TPP	8,32			x	
01-16-1-03-152 -a -00	IB	0,82			x	
01-16-1-03-156 -c -00	IB	5,71			x	
01-16-1-03-156 -d -00	IB	5,93			x	
01-16-1-03-161 -g -00	TPP	4,87			x	
01-16-1-03-169B -c -00	TWP	0,31			x	
01-16-1-03-170 -d -00	TPP	4,73			x	
01-16-1-03-170 -f -00	TPP	5,33			x	
01-16-1-03-172 -f -00	TPP	7,44			x	
01-16-1-03-173 -a -00	TPP	6,77			x	
01-16-1-03-173 -i -00	TPP	3,59			x	
01-16-1-03-181B -s -00	CP-P	0,85			x	
01-16-1-03-183 -b -00	TPP	6,98			x	
01-16-1-03-183 -d -00	TPP	2,12			x	
01-16-1-03-186 -c -00	IB	0,36			x	
01-16-1-03-186 -g -00	TWP	1,61			x	
01-16-1-03-186 -l -00	TWP	1,42			x	
01-16-1-03-187 -j -00	IIIA	1,24			x	
01-16-1-03-187 -m -00	IIIA	2,11			x	
01-16-1-03-187 -n -00	IIIA	2,49			x	
01-16-1-03-195 -k -00	TPP	1,12			x	
01-16-1-03-196 -a -00	TPP	6,64			x	
01-16-1-03-196 -b -00	TPP	8,73			x	
01-16-1-03-197 -a -00	TPP	4,87			x	
01-16-1-03-197 -i -00	TPP	1,52			x	
01-16-1-03-197 -n -00	TWP	2,28			x	
01-16-1-03-200 -d -00	CP-P	0,57			x	
01-16-1-03-200 -h -00	TWP	0,91			x	
01-16-1-03-214 -a -00	TWP	21,72			x	
01-16-1-03-214 -d -00	TWP	1,08			x	
01-16-1-03-255 -c -00	TPP	3,23			x	
01-16-1-03-255 -d -00	TPP	4,09			x	
01-16-1-03-255 -f -00	TPP	0,89			x	
01-16-1-03-258 -h -00	IB	1,45			x	
01-16-1-03-258 -k -00	IB	2,40			x	
01-16-1-03-277 -c -00	TPP	4,77			x	
01-16-1-03-278 -a -00	TPP	6,04			x	
01-16-1-03-278 -c -00	TWP	2,67			x	
01-16-1-03-279 -b -00	IVD	1,59			x	
01-16-1-03-279 -c -00	IVD	7,57			x	
01-16-1-03-279 -d -00	IVD	6,53			x	
01-16-1-03-281 -c -00	PRZEST	1,86			x	
01-16-1-03-283 -c -00	TWP	2,10			x	
01-16-1-03-283 -h -00	TWP	2,33			x	
01-16-1-03-301 -k -00	TWP	0,67			x	
01-16-1-03-305 -j -00	IIIAU	2,13			x	
01-16-1-03-305 -l -00	IIIAU	1,15			x	
01-16-1-03-322 -f -00	TWP	2,63			x	
01-16-1-03-322 -g -00	TWP	2,35			x	
01-16-1-03-322 -i -00	TWP	2,51			x	
01-16-1-03-322 -j -00	CP-P	0,70			x	
01-16-1-03-323A -h -00	TWP	2,20			x	
01-16-1-03-323A -i -00	TWP	0,48			x	
01-16-1-03-323A -j -00	TWP	0,72			x	
01-16-1-04-164 -h -00	TPP	5,36			x	
01-16-1-04-165 -d -00	TPP	3,86			x	

## Konsultacje HCVF na rok 2017

01-16-1-04-167 -g -00	TPP	1,31			x	
01-16-1-04-168 -f -00	TPP	10,54			x	
01-16-1-04-168 -h -00	TPP	7,13			x	
01-16-1-04-169 -i -00	TPP	0,73			x	
01-16-1-04-169 -k -00	TPP	11,32			x	
01-16-1-04-169 -l -00	TPP	1,01			x	
01-16-1-04-169 -p -00	TPP	0,67			x	
01-16-1-04-169 -r -00	TPP	0,98			x	
01-16-1-04-176 -a -00	TPP	6,82			x	
01-16-1-04-177 -b -00	TPP	5,78			x	
01-16-1-04-189 -a -00	IB	12,73			x	
01-16-1-04-189 -d -00	IB	6,42			x	
01-16-1-04-190 -b -00	TPP	3,07			x	
01-16-1-04-190 -c -00	TPP	7,48			x	
01-16-1-04-194 -a -00	TPP	14,05			x	
01-16-1-04-194 -b -00	TPP	4,12			x	
01-16-1-04-194 -c -00	TPP	3,52			x	
01-16-1-04-194B -i -00	CP-P	0,93			x	
01-16-1-04-204 -f -00	IB	1,95			x	
01-16-1-04-204 -g -00	TPP	2,12			x	
01-16-1-04-204 -k -00	IB	7,30			x	
01-16-1-04-205 -a -00	TPP	3,68			x	
01-16-1-04-205 -f -00	TPP	7,88			x	
01-16-1-04-206 -a -00	TPP	3,70			x	
01-16-1-04-210B -a -00	TPP	1,79			x	
01-16-1-04-210B -b -00	TWP	3,01			x	
01-16-1-04-210B -k -00	TWP	0,35			x	
01-16-1-04-223 -a -00	TPP	6,28			x	
01-16-1-04-227 -a -00	TPP	10,73			x	
01-16-1-04-229 -d -00	TWP	0,69			x	
01-16-1-04-230 -g -00	TWP	3,01			x	
01-16-1-04-248 -d -00	TWP	0,70			x	
01-16-1-04-249 -g -00	TWP	5,07			x	
01-16-1-04-249 -i -00	TWP	3,97			x	
01-16-1-04-267 -h -00	TWP	3,97			x	
01-16-1-04-268 -d -00	IB	5,80			x	
01-16-1-04-271 -a -00	IB	3,17			x	
01-16-1-04-271 -f -00	TWP	2,09			x	
01-16-1-04-271 -g -00	TWP	0,43			x	
01-16-1-04-292 -c -00	TWP	3,86			x	
01-16-1-04-293 -g -00	CP-P	0,94			x	
01-16-1-04-294 -c -00	IB	14,82			x	
01-16-1-04-319 -i -00	IB	4,25			x	
01-16-1-05-221 -a -00	IB	10,59			x	
01-16-1-05-241 -a -00	TPP	7,83			x	
01-16-1-05-242 -c -00	IB	18,24			x	
01-16-1-05-243 -c -00	IB	18,63			x	
01-16-1-05-284 -a -00	TPP	8,34			x	
01-16-1-05-284 -f -00	TPP	1,51			x	
01-16-1-05-286 -a -00	TPP	7,15			x	
01-16-1-05-286 -b -00	TWP	4,36			x	
01-16-1-05-306 -a -00	TPP	1,89			x	
01-16-1-05-306 -c -00	TWP	2,02			x	
01-16-1-05-307 -a -00	CP-P	2,16			x	
01-16-1-05-307 -b -00	CP-P	1,63			x	
01-16-1-05-308 -c -00	TPP	4,50			x	

## Konsultacje HCVF na rok 2017

01-16-1-05-310 -a -00	TPP	1,66				x		
01-16-1-05-314 -b -00	TPP	6,77				x		
01-16-1-05-315 -f -00	TPP	1,38				x		
01-16-1-05-315 -i -00	TPP	1,95				x		
01-16-1-05-315 -j -00	TPP	5,44				x		
01-16-1-05-330 -c -00	TPP	6,01				x		
01-16-1-05-330 -d -00	TPP	12,77				x		
01-16-1-05-331 -b -00	TPP	2,71				x		
01-16-1-05-331 -c -00	TWP	1,96				x		
01-16-1-05-331 -j -00	TWP	4,40				x		
01-16-1-05-341 -a -00	TPP	6,17				x		
01-16-1-05-343 -b -00	TPP	24,28				x		
01-16-1-05-344 -b -00	TPP	25,69				x		
01-16-1-05-346 -a -00	IB	8,84				x		
01-16-1-05-346 -h -00	IB	4,52				x		
01-16-1-05-353 -c -00	TPP	11,42				x		
01-16-1-05-353 -g -00	TWP	0,93				x		
01-16-1-05-354 -i -00	TWP	1,78				x		
01-16-1-05-364 -b -00	IB	3,12				x		
01-16-1-05-364 -g -00	IB	6,72				x		
01-16-1-05-369 -a -00	TPP	7,86				x		
01-16-1-05-369 -f -00	IB	8,28				x		
01-16-1-05-371 -c -00	TPP	2,89				x		
01-16-1-05-371 -d -00	TPP	9,14				x		
01-16-1-06-338 -g -00	TWP	0,81				x		
01-16-1-06-338 -h -00	TPP	0,79				x		
01-16-1-06-338 -l -00	TPP	2,99				x		
01-16-1-06-349 -c -00	TPP	12,27				x		
01-16-1-06-360 -b -00	TPP	8,26				x		
01-16-1-06-360 -d -00	TWP	1,82				x		
01-16-1-06-360 -g -00	TWP	1,27				x		
01-16-1-06-361 -d -00	TPP	1,74				x		
01-16-1-06-361 -f -00	TPP	2,10				x		
01-16-1-06-361 -i -00	TWP	2,60				x		
01-16-1-06-362 -k -00	TPP	3,69				x		
01-16-1-06-363 -d -00	TPP	4,07				x		
01-16-1-06-363 -f -00	TPP	0,73				x		
01-16-1-06-363 -k -00	TPP	1,09				x		
01-16-1-06-363 -p -00	TPP	0,65				x		
01-16-1-06-374 -c -00	TWP	1,01				x		
01-16-1-06-374 -r -00	TPP	2,06				x		
01-16-1-06-374 -s -00	TPP	3,34				x		
01-16-1-06-374 -x -00	TPP	0,89				x		
01-16-1-06-374 -y -00	TPP	2,51				x		
01-16-1-06-376 -i -00	TPP	3,03				x		
01-16-1-06-376 -k -00	TPP	0,97				x		
01-16-1-06-377 -b -00	IB	1,24				x		
01-16-1-06-377 -k -00	TPP	1,07				x		
01-16-1-06-377 -n -00	TPP	0,92				x		
01-16-1-06-378 -f -00	TWP	1,51				x		
01-16-1-06-378 -g -00	TWP	2,66				x		
01-16-1-06-380 -a -00	TPP	12,98				x		
01-16-1-06-381 -d -00	TPP	2,54				x		
01-16-1-06-383 -l -00	TWP	0,76				x		
01-16-1-06-385 -c -00	TPP	0,91				x		
01-16-1-06-385 -i -00	TWP	1,08				x		

## Konsultacje HCVF na rok 2017

01-16-1-06-387 -i -00	TPP	2,28				x		
01-16-1-06-387 -k -00	TPP	1,78				x		
01-16-1-06-388 -b -00	TWP	1,17				x		
01-16-1-06-388 -i -00	TPP	4,75				x		
01-16-1-06-388 -j -00	TWP	1,29				x		
01-16-1-06-388 -k -00	TPP	1,08				x		
01-16-1-06-393 -b -00	TPP	5,76				x		
01-16-1-06-396 -j -00	IB	4,79				x		
01-16-1-06-396 -l -00	TPP	1,96				x		
01-16-1-06-396 -n -00	TPP	0,86				x		
01-16-1-06-396 -o -00	TPP	0,63				x		
01-16-1-06-397 -c -00	TPP	1,09				x		
01-16-1-06-402 -a -00	IB	11,39				x		
01-16-1-06-403 -b -00	IB	5,71				x		
01-16-1-06-404 -b -00	TPP	12,45				x		
01-16-1-06-405 -c -00	IIIB	3,94				x		
01-16-1-06-405 -f -00	TPP	2,16				x		
01-16-1-06-406 -j -00	TWP	0,83				x		
01-16-1-06-407 -f -00	TWP	1,97				x		
01-16-1-06-407 -j -00	TWP	0,98				x		
01-16-1-06-408 -j -00	TWP	0,91				x		
01-16-1-06-410 -a -00	TPP	17,20				x		
01-16-2-09-12 -d -00	CP-P	1,06			x	x		
01-16-2-09-13 -d -00	TPP	0,56			x	x		
01-16-2-09-13 -h -00	TPP	1,73			x	x		
01-16-2-09-13 -j -00	TPP	1,81			x	x		
01-16-2-09-14 -b -00	TPP	3,46			x	x		
01-16-2-09-15 -c -00	TPP	2,31			x	x		
01-16-2-09-15 -d -00	IIIA	5,34			x	x		
01-16-2-09-16 -b -00	IIIA	6,72			x	x		
01-16-2-09-16 -c -00	TWP	0,88			x	x		
01-16-2-09-1A -a -00	TPP	14,26						
01-16-2-09-22 -a -00	TPP	7,66			x	x		
01-16-2-09-226A -f -00	TPP	3,20			x	x		
01-16-2-09-24 -b -00	IIIB	7,69			x	x		
01-16-2-09-29 -d -00	IIIA	11,94			x	x		
01-16-2-09-29 -i -00	TPP	2,07			x	x		
01-16-2-09-29 -l -00	TWP	1,62			x	x		
01-16-2-09-3 -d -00	IB	6,87			x	x		
01-16-2-09-32 -h -00	TPP	3,11			x	x		
01-16-2-09-32 -j -00	TPP	1,19			x	x		
01-16-2-09-33 -a -00	TPP	1,92			x	x		
01-16-2-09-33 -b -00	TPP	8,76			x	x		
01-16-2-09-33 -c -00	TWP	0,98			x	x		
01-16-2-09-33 -h -00	TPP	0,76			x	x		
01-16-2-09-33 -j -00	TPP	3,30			x	x		
01-16-2-09-34 -a -00	TWP	1,03			x	x		
01-16-2-09-36 -c -00	TWP	3,18			x	x		
01-16-2-09-36 -d -00	TPP	1,78			x	x		
01-16-2-09-36 -f -00	TWP	2,24			x	x		
01-16-2-09-36 -j -00	TWP	1,05			x	x		
01-16-2-09-36A -c -00	TWP	1,18			x	x		
01-16-2-09-37 -b -00	TWP	0,53			x	x		
01-16-2-09-38 -h -00	CP-P	0,38			x	x		
01-16-2-09-39 -n -00	CP-P	0,54			x	x		
01-16-2-09-4 -h -00	TWP	4,27			x	x		

## Konsultacje HCVF na rok 2017

01-16-2-09-40	-a -00	TPP	0,79		x	x		
01-16-2-09-44	-a -00	TPP	17,67		x	x		
01-16-2-09-45	-a -00	TPP	10,44		x	x		
01-16-2-09-46	-d -00	IIIA	12,26		x	x		
01-16-2-09-49	-a -00	IIIAU	1,71		x	x		
01-16-2-09-6	-c -00	TPP	1,88		x	x		
01-16-2-09-6	-h -00	TWP	3,29		x	x		
01-16-2-09-8A	-n -00	IB	4,40		x	x		
01-16-2-09-9	-b -00	TPP	1,89		x	x		
01-16-2-10-232	-a -00	TPP	4,50			x		
01-16-2-10-233	-h -00	TPP	1,05			x		
01-16-2-10-233	-j -00	IIIB	4,70			x		
01-16-2-10-235	-d -00	IIIB	4,38			x		x
01-16-2-10-235	-i -00	TWP	3,37			x		
01-16-2-10-237	-i -00	TPP	2,87			x		
01-16-2-10-237	-l -00	TPP	1,15			x		
01-16-2-10-240	-b -00	IIIA	2,73			x		
01-16-2-10-240	-c -00	IIIA	1,62			x		
01-16-2-10-241	-d -00	IIIA	1,16			x		
01-16-2-10-241	-g -00	IIIA	1,05			x		
01-16-2-10-242	-a -00	IIIB	3,83			x		
01-16-2-10-242	-c -00	TPP	1,92			x		
01-16-2-10-242	-m -00	TPP	1,74			x		x
01-16-2-10-248	-g -00	TWP	0,44					
01-16-2-10-251	-c -00	TPP	5,15					
01-16-2-10-252	-b -00	TPP	2,95			x		
01-16-2-10-257	-a -00	IB	19,69			x		
01-16-2-11-107	-a -00	TPP	1,71		x	x		
01-16-2-11-120	-b -00	IIIA	1,83		x	x		
01-16-2-11-120	-f -00	IIIA	5,00		x	x		
01-16-2-11-135	-b -00	IIIA	2,31		x	x		
01-16-2-11-135	-l -00	PŁAZ	2,22		x	x		
01-16-2-11-135	-s -00	IIIA	1,16		x	x		
01-16-2-11-136	-b -00	IIIA	7,26		x	x		
01-16-2-11-260	-b -00	IIIB	7,89		x	x		
01-16-2-11-261	-a -00	IIIB	23,80		x	x		
01-16-2-11-261	-a -00	TPP	23,80		x	x		
01-16-2-11-261	-c -00	IIIB	2,25		x	x		
01-16-2-11-264	-b -00	TPP	2,47		x	x		
01-16-2-11-264	-f -00	TPP	1,11		x	x		
01-16-2-11-265	-i -00	TPP	9,64		x	x		
01-16-2-11-266	-i -00	TPP	2,92		x	x		
01-16-2-11-279	-d -00	TPP	1,42		x	x		
01-16-2-11-61	-a -00	TPP, IIIA	3,55			x		
01-16-2-11-61	-b -00	TPP, IIIA	2,81			x		
01-16-2-11-61	-c -00	IIIA	2,75			x		
01-16-2-11-62	-k -00	IIIA	5,61			x		
01-16-2-11-62	-o -00	TWP	1,72			x		
01-16-2-11-62	-r -00	TWP	1,34			x		
01-16-2-11-66	-d -00	TPP	6,64		x	x		
01-16-2-11-68	-j -00	TPP	3,60		x	x		
01-16-2-11-71	-h -00	IIIA	5,83		x	x		
01-16-2-11-72	-a -00	TPP	0,29		x	x		
01-16-2-11-72	-b -00	TPP	1,15		x	x		
01-16-2-11-72	-l -00	TPP	2,11		x	x		
01-16-2-11-75	-f -00	TPP	5,96		x	x		

## Konsultacje HCVF na rok 2017

01-16-2-11-87	-b -00	TPP	8,55		x	x		
01-16-2-11-88	-a -00	TPP	2,67		x	x		
01-16-2-11-89	-b -00	TPP	18,20		x	x		
01-16-2-11-90	-a -00	TPP	7,68		x	x		
01-16-2-11-90	-b -00	TWP	8,21		x	x		
01-16-2-11-91	-f -00	TPP	4,09		x	x		
01-16-2-12-102	-j -00	IB	7,34		x	x		
01-16-2-12-108	-b -00	TPP	2,05		x	x		
01-16-2-12-108	-i -00	TWP	1,67		x	x		
01-16-2-12-108	-k -00	TWP	2,71		x	x		
01-16-2-12-111	-a -00	IB	26,00		x	x		
01-16-2-12-114	-h -00	TWP	4,06		x	x		
01-16-2-12-115	-a -00	IB	3,86		x	x		
01-16-2-12-115	-g -00	TWP	2,27		x	x		
01-16-2-12-116	-b -00	TPP	6,33		x	x		
01-16-2-12-116	-c -00	TWP	2,75		x	x		
01-16-2-12-116	-d -00	TWP	2,37		x	x		
01-16-2-12-116	-j -00	CP-P	0,71		x	x		
01-16-2-12-116	-k -00	TWP	2,87		x	x		
01-16-2-12-117	-a -00	TPP	2,80		x	x		
01-16-2-12-118	-a -00	TPP	1,10		x	x		
01-16-2-12-118	-d -00	TPP	1,04		x	x		
01-16-2-12-118	-i -00	TPP	1,18		x	x		
01-16-2-12-126	-a -00	TPP	4,69		x	x		
01-16-2-12-128	-j -00	TWP	1,21		x	x		
01-16-2-12-130	-a -00	TPP	3,16		x	x		
01-16-2-12-130	-c -00	TPP	3,65		x	x		
01-16-2-12-130	-d -00	TPP	1,63		x	x		
01-16-2-12-130	-f -00	TWP	1,02		x	x		
01-16-2-12-130	-g -00	TPP	1,69		x	x		
01-16-2-12-130	-h -00	TPP	5,58		x	x		
01-16-2-12-130	-l -00	TWP	4,41		x	x		
01-16-2-12-134	-c -00	IIIAU	2,36		x	x		
01-16-2-12-143	-a -00	TPP	7,44		x	x		
01-16-2-12-145	-b -00	IIIA	1,45		x	x		
01-16-2-12-146	-k -00	IIIA	3,91		x	x		
01-16-2-12-78	-g -00	IIIAU	4,24		x	x		
01-16-2-12-81	-d -00	TWP	8,41		x	x		
01-16-2-12-81	-g -00	CP-P	0,64		x	x		
01-16-2-12-82	-c -00	TWP	1,41		x	x		
01-16-2-12-82	-g -00	TPP	5,29		x	x		
01-16-2-12-82	-h -00	TWP	2,69		x	x		
01-16-2-12-82	-k -00	TWP	3,10		x	x		
01-16-2-12-83	-d -00	TWP	2,53		x	x		
01-16-2-12-84	-f -00	TWP	3,42		x	x		
01-16-2-12-93	-j -00	TPP	3,82		x	x		
01-16-2-12-93	-k -00	TPP	6,93		x	x		
01-16-2-12-94	-i -00	TPP	5,54		x	x		
01-16-2-12-95	-f -00	TPP	6,54		x	x		
01-16-2-12-95	-g -00	TPP	3,90		x	x		
01-16-2-12-97	-b -00	IB	14,64		x	x		
01-16-2-12-97	-h -00	TWP	3,21		x	x		
01-16-2-12-98	-d -00	TPP	10,91		x	x		
01-16-2-12-99	-d -00	TWP	0,59		x	x		
01-16-2-13-151	-g -00	TWP	1,29		x	x		
01-16-2-13-158	-g -00	IIIAU	5,62		x	x		

## Konsultacje HCVF na rok 2017

01-16-2-13-158	-i -00	TPP	6,01		x	x		
01-16-2-13-158	-j -00	IIIA	2,01		x	x		x
01-16-2-13-162	-g -00	TWP	0,56		x	x		
01-16-2-13-166	-r -00	TPP	1,98		x	x		
01-16-2-13-166	-s -00	TPP	0,98		x	x		
01-16-2-13-166	-t -00	TPP	0,63		x	x		
01-16-2-13-167	-b -00	TPP	1,54		x	x		
01-16-2-13-167	-d -00	TPP	1,15		x	x		
01-16-2-13-173	-b -00	TPP	12,10		x	x		
01-16-2-13-173	-f -00	TPP	2,67		x	x		
01-16-2-13-174	-a -00	TPP	5,48		x	x		
01-16-2-13-175	-a -00	IB	3,87		x	x		
01-16-2-13-175	-c -00	IB	4,01		x	x		
01-16-2-13-175	-g -00	TPP	0,67		x	x		
01-16-2-13-177	-i -00	TPP	5,65		x	x		
01-16-2-13-178	-j -00	TPP	2,39		x	x		
01-16-2-13-194	-k -00	TWP	1,57		x	x		
01-16-2-13-200	-f -00	TPP	4,77		x	x		
01-16-2-13-200	-g -00	TPP	7,46		x	x		
01-16-2-13-201	-b -00	IIIA	3,86		x	x		
01-16-2-13-201	-c -00	IIIA	5,56		x	x		
01-16-2-13-203	-a -00	IIIA	5,29		x	x		
01-16-2-14-208	-a -00	TWP	4,84		x	x		
01-16-2-14-208	-c -00	TPP	0,79		x	x		
01-16-2-14-210	-m -00	TPP	3,29		x	x		
01-16-2-14-212	-b -00	IIIA	6,65		x	x		
01-16-2-14-212	-k -00	TPP	2,00		x	x		
01-16-2-14-222	-d -00	TPP	2,05		x	x		
01-16-2-14-222	-k -00	TPP	0,60		x	x		
01-16-2-14-286	-c -00	IB	6,27		x	x		
01-16-2-14-288	-s -00	TPP	1,38		x	x		
01-16-2-14-288	-t -00	TWP	0,61		x	x		
01-16-2-14-289	-g -00	TPP	3,44		x	x		
01-16-2-14-289	-h -00	TWP	3,45		x	x		
01-16-2-14-293	-d -00	TPP	3,58		x	x		
01-16-2-14-293	-f -00	TPP	4,86		x	x		
01-16-2-14-293	-h -00	IIIB	7,57		x	x		
01-16-2-14-297	-b -00	UPRZPOZ	20,56		x	x		
01-16-2-14-300	-i -00	IIIB	5,06		x	x		
01-16-2-14-302	-f -00	TWP	4,16		x	x		
01-16-2-14-303	-c -00	UPRZPOZ	2,18		x	x		
01-16-2-14-304	-b -00	TWP	7,22		x	x		
01-16-2-14-305	-a -00	IVD	21,26		x	x		x
01-16-2-14-305	-c -00	IVD	1,52		x	x		
01-16-3-15-1	-c -00	IIIAU	3,68		x	x		
01-16-3-15-10	-a -00	TPP	4,54		x	x		
01-16-3-15-10	-c -00	TWP	3,04		x	x		
01-16-3-15-12	-d -00	IIIA	5,38		x	x		
01-16-3-15-14	-g -00	UPRZPOZ	0,95		x	x		
01-16-3-15-18	-a -00	IB	5,45		x	x		
01-16-3-15-18	-b -00	TPP	14,18		x	x		
01-16-3-15-18	-f -00	TPP	4,89		x	x		
01-16-3-15-2	-a -00	TWP	1,14		x	x		x
01-16-3-15-2	-l -00	TPP	1,62		x	x		
01-16-3-15-2	-n -00	TPP	1,47		x	x		
01-16-3-15-2	-x -00	TPP	0,18		x	x		

## Konsultacje HCVF na rok 2017

01-16-3-15-20	-d -00	TPP	1,59		x	x		
01-16-3-15-24	-g -00	IB	25,35		x	x		
01-16-3-15-24	-i -00	IB	1,52		x	x		
01-16-3-15-25	-h -00	IB	19,37		x	x		
01-16-3-15-25	-i -00	IB	2,18		x	x		
01-16-3-15-3	-d -00	TPP	11,04		x	x		
01-16-3-15-3	-m -00	TPP	6,44		x	x		
01-16-3-15-3	-o -00	TPP	3,24		x	x		
01-16-3-15-39	-a -00	IB	13,40		x	x		
01-16-3-15-39	-b -00	TPP	7,20		x	x		
01-16-3-15-44	-g -00	IIIAU	3,84		x	x		
01-16-3-15-5	-i -00	TPP	1,03		x	x		
01-16-3-15-6	-b -00	TPP	15,98		x	x		
01-16-3-15-6	-c -00	TWP	3,84		x	x		
01-16-3-15-7	-f -00	TWP	3,35		x	x		
01-16-3-15-8	-d -00	TPP	2,78		x	x		
01-16-3-15-8	-g -00	IIIB	6,73		x	x		
01-16-3-15-9	-f -00	TPP	4,70		x	x		
01-16-3-15-9	-h -00	TPP	1,31		x	x		
01-16-3-15-9	-j -00	TPP	1,66		x	x		
01-16-3-15-9	-l -00	TPP	1,57		x	x		
01-16-3-16-120	-a -00	IIIB	6,55			x		
01-16-3-16-120	-f -00	IIIB	1,55			x		
01-16-3-16-45	-b -00	IB	19,66		x	x		
01-16-3-16-49	-d -00	TPP	1,76		x	x		
01-16-3-16-50	-a -00	TPP	23,97		x	x		
01-16-3-16-51	-a -00	TPP	3,56		x	x		
01-16-3-16-53	-c -00	TPP	1,27		x	x		
01-16-3-16-57	-c -00	IB	15,75		x	x		
01-16-3-16-58	-b -00	IB	17,42		x	x		
01-16-3-16-59	-c -00	TPP	6,90		x	x		
01-16-3-16-62	-b -00	TPP	16,61		x	x		
01-16-3-16-69	-a -00	TPP	22,00		x	x		
01-16-3-16-72	-b -00	TWP	2,50		x	x		
01-16-3-16-76	-b -00	IB	21,27		x	x		
01-16-3-16-82	-j -00	IB	1,06		x	x		
01-16-3-16-88	-a -00	TPP	1,07		x	x		
01-16-3-16-89	-a -00	TPP	25,04			x		
01-16-3-17-101	-j -00	IIIA	1,86		x	x		
01-16-3-17-102	-a -00	IIIB	2,00		x	x		
01-16-3-17-102	-b -00	IIIB	6,17		x	x		
01-16-3-17-102	-g -00	IIIB	2,42		x	x		
01-16-3-17-102	-j -00	IIIB	1,53		x	x		
01-16-3-17-107	-d -00	IIIA	4,29			x		
01-16-3-17-109	-a -00	TPP	1,83		x	x		
01-16-3-17-109	-f -00	TPP	0,86		x	x		
01-16-3-17-109	-j -00	IIIAU	6,65		x	x		
01-16-3-17-109A	-a -00	TPP	0,42		x	x		
01-16-3-17-109A	-b -00	TPP	0,73		x	x		
01-16-3-17-109A	-c -00	TPP	10,66		x	x		
01-16-3-17-109A	-d -00	TPP	1,62		x	x		
01-16-3-17-113	-h -00	TPP	2,54			x		
01-16-3-17-115	-b -00	TWP	1,91		x	x		
01-16-3-17-123	-b -00	TWP	0,62			x		
01-16-3-17-124	-a -00	IIIAU	8,31			x		
01-16-3-17-127	-f -00	TPP	12,89			x		

## Konsultacje HCVF na rok 2017

01-16-3-17-133 -a -00	TPP	0,30				x		
01-16-3-17-133 -b -00	TPP	3,44				x		
01-16-3-17-133 -d -00	TPP	2,74				x		
01-16-3-17-136 -a -00	TPP	3,02				x		
01-16-3-17-139 -a -00	TWP	5,67				x		
01-16-3-17-146 -g -00	TWP	4,00				x		
01-16-3-17-147 -c -00	IB	15,25				x		
01-16-3-17-148 -c -00	IB	16,07				x		
01-16-3-17-150 -c -00	TWP	6,75				x		
01-16-3-17-152 -a -00	TPP	14,80				x		
01-16-3-17-152 -d -00	TPP	7,47				x		
01-16-3-17-164 -c -00	IB	16,03				x		
01-16-3-17-165 -d -00	TPP	1,60				x		
01-16-3-17-165 -f -00	TPP	2,91				x		
01-16-3-17-165 -g -00	TPP	7,55				x		
01-16-3-17-166 -h -00	TPP	3,24				x		
01-16-3-17-98 -k -00	IIIA	5,43			x	x		
01-16-3-17-98A -a -00	CP-P	1,00			x	x		
01-16-3-17-99 -a -00	TPP	1,89			x	x		
01-16-3-17-99 -b -00	TPP	6,76			x	x		
01-16-3-18-199 -a -00	TPP	10,09				x		
01-16-3-18-199 -b -00	TPP	5,14				x		
01-16-3-18-199 -c -00	TPP	6,21				x		
01-16-3-18-199 -h -00	TPP	0,60				x		
01-16-3-18-200 -a -00	TPP, IB	4,02				x		
01-16-3-18-200 -c -00	TPP, IB	10,73				x		
01-16-3-18-200 -d -00	TPP	5,78				x		
01-16-3-18-201 -o -00	TPP	2,34				x		
01-16-3-18-201 -p -00	TPP	1,98				x		
01-16-3-18-208 -b -00	TPP	18,24				x		
01-16-3-18-208 -c -00	TPP	3,75				x		
01-16-3-18-210 -f -00	IB	1,60				x		
01-16-3-18-210 -g -00	IB	3,67				x		
01-16-3-18-214 -b -00	TPP	12,59				x		
01-16-3-18-215 -c -00	TPP	3,25				x		
01-16-3-18-215 -d -00	TPP	3,82				x		
01-16-3-18-215 -f -00	TPP	1,56				x		
01-16-3-18-215 -g -00	TWP	4,07				x		
01-16-3-18-224 -a -00	TPP	12,07				x		
01-16-3-18-224 -b -00	TPP	3,09				x		
01-16-3-18-224 -c -00	TPP	6,54				x		
01-16-3-18-226 -a -00	TPP	3,68				x		
01-16-3-18-241 -d -00	IB	5,42				x		
01-16-3-18-261 -a -00	IB	17,33				x		
01-16-3-18-262 -f -00	TWP	2,00				x		
01-16-3-18-273 -g -00	IB	3,43				x		
01-16-3-18-273 -l -00	IB	0,39				x		
01-16-3-19-286 -a -00	TPP	5,93				x		
01-16-3-19-286 -b -00	TPP	8,25				x		
01-16-3-19-286 -c -00	TPP	2,66				x		
01-16-3-19-288 -c -00	TPP	7,67				x		
01-16-3-19-288 -f -00	TPP	1,95				x		
01-16-3-19-290 -a -00	TPP	5,73				x		
01-16-3-19-290 -b -00	TPP	2,86				x		
01-16-3-19-290 -c -00	TPP	4,23				x		
01-16-3-19-290 -d -00	TPP	5,19				x		

## Konsultacje HCVF na rok 2017

01-16-3-19-292 -b -00	TPP	7,33			x		
01-16-3-19-292 -d -00	TWP	4,32			x		
01-16-3-19-292 -f -00	TPP	2,03			x		
01-16-3-19-301 -b -00	IB	6,69			x		
01-16-3-19-301 -f -00	IB	1,24			x		
01-16-3-19-301 -i -00	IB	0,62			x		
01-16-3-19-301 -j -00	IB	1,41			x		
01-16-3-19-302 -a -00	TPP	4,16			x		
01-16-3-19-302 -b -00	TPP	6,41			x		
01-16-3-19-303 -b -00	IB	6,81			x		
01-16-3-19-303 -g -00	TPP	4,64			x		
01-16-3-19-303 -h -00	IB	2,86			x		
01-16-3-19-303 -l -00	IB	0,50			x		
01-16-3-19-304 -b -00	IB	4,48			x		
01-16-3-19-304 -d -00	TPP, IB	10,71			x		
01-16-3-19-312 -c -00	IB	3,58			x		
01-16-3-19-312 -g -00	IB	2,43			x		
01-16-3-19-313 -d -00	TPP	1,68			x		
01-16-3-19-313 -f -00	TPP	1,41			x		
01-16-3-19-323 -l -00	TPP	2,19			x		
01-16-3-19-325 -c -00	TPP	2,52			x		
01-16-3-19-326 -i -00	TPP	1,58			x		
01-16-3-19-354 -m -00	TPP	3,71			x		
01-16-3-20-173 -f -00	IB	9,85			x		
01-16-3-20-193 -a -00	TPP	1,98			x		
01-16-3-20-193 -b -00	TPP	4,66			x		
01-16-3-20-193 -f -00	TPP	6,65			x		
01-16-3-20-193 -g -00	TPP	0,84			x		
01-16-3-20-204 -b -00	TPP	14,21			x		
01-16-3-20-204 -d -00	TPP	5,87			x		
01-16-3-20-256 -a -00	TPP	3,93			x		
01-16-3-20-256 -b -00	IB	8,54			x		
01-16-3-20-256 -c -00	TPP	6,08			x		
01-16-3-20-256 -g -00	TPP	5,11			x		
01-16-3-20-256 -h -00	TPP	0,72			x		
01-16-3-20-268 -b -00	TPP	6,52			x		
01-16-3-20-268 -c -00	TPP	1,89			x		
01-16-3-20-268 -d -00	TPP	9,03			x		
01-16-3-20-268 -f -00	TPP	0,98			x		
01-16-3-20-268 -h -00	TPP	2,62			x		
01-16-3-20-268 -l -00	TPP	8,42			x		
01-16-3-20-268 -m -00	TPP	1,14			x		
01-16-3-20-269 -b -00	TPP	4,01			x		
01-16-3-20-269 -c -00	TPP	4,24			x		
01-16-3-20-269 -d -00	TPP	0,89			x		
01-16-3-20-269 -n -00	TPP	0,70			x		
01-16-3-20-270 -a -00	TPP	1,68			x		
01-16-3-20-270 -b -00	TPP, IB	11,88			x		
01-16-3-20-270 -f -00	TPP	10,60			x		
01-16-3-20-270 -g -00	TPP	1,19			x		
01-16-3-20-270 -h -00	TPP	2,67			x		
01-16-3-20-271 -b -00	TPP	5,92			x		
01-16-3-20-271 -d -00	TPP	0,93			x		
01-16-3-20-271 -g -00	TPP	2,91			x		
01-16-3-20-272 -a -00	TPP	10,03			x		
01-16-3-20-272 -d -00	TPP	2,53			x		

## Konsultacje HCVF na rok 2017

01-16-3-20-281 -a -00	IB	3,07			x		
01-16-3-20-282 -a -00	IB	3,13			x		
01-16-3-20-282 -l -00	IB	0,85			x		
01-16-3-20-97 -b -00	IIIBU	1,04			x		
01-16-3-20-97 -g -00	IB	2,52			x		
01-16-3-20-97 -h -00	IIIAU	0,81			x		
























